

Toxic-Free Children's Act

SB 111 and HB 199 Protect Alaska's Children from Exposure to Toxic Chemicals



Key Science on Toxic Flame Retardants February 2015

The Toxic-Free Children's Act will prevent the manufacture, sale, and distribution of ten toxic and unnecessary flame retardant chemicals in children's products and home furniture. It will also require the labelling of children's products and upholstered furniture to inform people whether these products contain toxic flame retardant chemicals.

Chemical flame retardants are widely used in children's products, carpeting, and home furniture. These harmful chemicals are found in toys, nap mats, nursing pillows, changing pads, baby carriers, carpet padding, and upholstered furniture foam. Under current federal law, these toxic chemicals are virtually unregulated for their safety. Yet, these chemicals pose a serious public health threat, are particularly toxic to children, and do not provide a fire safety benefit. They have a range of adverse toxicological effects, including cancer, learning disabilities, developmental impairment, and reproductive harm.

Toxic flame retardants are of particular concern in Alaska because they are persistent and tend to accumulate in the fish, wildlife, and people living in our northern environment. People, especially children, may also be more highly exposed in indoor environments, because our homes are more insulated against the cold and may be less well ventilated than in lower latitudes.

Below is a short summary of the scientific research concerning toxic effects of each of the ten flame retardants included in this bill:


Antimony

Health effects:

- Causes cancer—the International Agency for Research on Cancer (IARC) determined that there is sufficient evidence of the carcinogenicity of antimony trioxide in experimental animals, and that antimony is a probable human carcinogen (Group 2B).¹ It is also listed by the State of California as a chemical known to cause cancer.²
- Associated with miscarriages and premature births in exposed women workers.³

Where found:

- Used in children's toys, clothing, changing mats, and certain plastics;
- Persistent in the environment; detected in household dust;
- Found in human breast milk and umbilical cord blood.⁴



Chlorinated paraffins

Health effects:

- Causes cancer—the 11th Report on Carcinogens determined that chlorinated paraffins are reasonably anticipated to be human carcinogens based on sufficient evidence of carcinogenicity in experimental animals.⁵
- Liver toxicity in experimental animals;
- Reduced survival and body weight of developing babies in animal studies.⁶

Where found:

- Used as flame retardants in PVC and other plastics, paints, and sealants;
- Persistent, bioaccumulative, and found worldwide in the environment, wildlife, and humans;⁷
- Toxic to aquatic organisms at low concentrations;
- Found in human breast milk, including Indigenous women of the Arctic.⁸

Deca-BDE (decabromodiphenyl ether)

Health effects:

- Endocrine disruption, particularly thyroid function; and reproductive toxicant in laboratory studies;
- Adverse neurodevelopmental effects in laboratory and human studies, including mental development and cognition.⁹

Where found:

- Used as a flame retardant in electronics such as TVs and computers, and in carpets, inks, and sealants;
- Persistent and toxic chemical; one of the most prevalent of the brominated flame retardants in the global environment; detected in fish and wildlife of the Arctic;¹⁰
- Found in children's toys, indoor air, and household dust;¹¹
- Found in human blood serum, cord blood, placenta, and breast milk.¹²

HBCD (hexabromocyclododecane)

Health effects:

- Reproductive harm in Arctic birds at environmental levels, including egg shell thinning;¹³
- Studies of mammals have shown reproductive, developmental, and behavioral effects with some of the effects being trans-generational;¹⁴
- Endocrine disruption, specifically with adverse effects to thyroid function, and a developmental neurotoxicant in laboratory studies.^{15,16}
- Causes cancer in laboratory animals;¹⁷

Where found:

- Used as a flame retardant in furniture upholstery and in polystyrene insulation foam;
- Found in household dust, indoor air, and food;
- Bioaccumulative, persistent, and toxic;
- Found in human blood serum, cord blood, and breast milk.¹⁸

TBB (2-ethylhexyl-2,3,4,5-tetrabromobenzoate) and TBPH (bis(2-ethylhexyl)-3,4,5,6-tetrabromophthalate)

Health effects:

- Damage to DNA in fish;¹⁹
- Endocrine disruption found in laboratory studies of the flame retardant mixture Firemaster 550 that includes TBB and TBPH;²⁰ TBPH affects thyroid hormone (T3); and TBPH and TBB affect reproductive hormones.²¹

Where found:

- Both TBB and TBPH are found in household dust, air, and biota; TBPH is found in environmental samples from the high Arctic;
- TBB and TBPH are high production volume chemicals, components of the chemical flame retardant Firemaster 550, and found in polyurethane foam used in baby products such as nursing pillows and changing pads, and in couch foam.²²

TBBPA (tetrabromobisphenol A)

Health Effects:

- May affect endocrine system, including thyroid hormone and estrogen levels;
- Causes uterine tumors in laboratory animals.²³

Where Found:

- Used in circuit boards for electronics such as TVs, computers, and cell phones; accounts for 59% of all brominated flame retardants used worldwide;²⁴
- Found in household dust, biota, and human breast milk.

TCEP (tris(2-chloroethyl)phosphate)

Health Effects:

- Exposure to TCEP increases cancer risk and is linked to adverse reproductive and neurological effects;^{25,26,27,28}
- Classified by the European Chemicals Agency as a Substance of Very High Concern in 2010 due to its reproductive toxicity and potential to impair fertility;²⁹
- Classified by the State of California as a known cancer-causing chemical;³⁰
- Causes tumors of the kidney and liver as well as brain abnormalities in animal studies.^{31,32}

Where Found:

- Flame retardant chemical added to foam in baby products, furniture, carpet backing, and vinyl products;
- Found in such products as nursing pillows, baby carriers, and portable cribs;³³
- Found in indoor air, household dust, and surface waters.

TCPP (tris(1-chloro-2-propyl)phosphate)

Health Effects:

- Chemically similar to other tris chemicals;

- Possible carcinogen, disrupts red blood cells, and irritates the skin.³⁴

Where Found:

- Found in a range of baby products including changing pads, sleep positioners, nursing pillows, car seats, and portable mattresses;³⁵
- Detected in household dust and in environmental samples;

TDCPP (tris(1,3-dichloro-2-propyl)phosphate)

Health Effects:

- Causes cancer in laboratory studies;³⁶ listed by the State of California as a known cancer-causing chemical;³⁷ and associated with increased incidence of tumors in laboratory studies;^{38,39}
- Reduces semen quality, alters hormone levels,^{40,41} and causes DNA mutations;⁴²
- TDCPP is a potent neurotoxicant in laboratory studies;^{43,44}
- Abnormal development in fish.⁴⁵

Where Found:

- TDCPP was widely used in children's pajamas in the 1970s until it was eliminated from that use due to its adverse health effects; now used in children's products and furniture;
- The most common flame retardant detected in baby products in a 2011 Duke University peer-reviewed study detected in 36% of 101 items tested);
- Found in household dust and urine samples.

Endnotes

1 IARC. 1989. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-present. Available at:

<http://monographs.iarc.fr/index.php>

2 State of California Office of Environmental Health Hazard Assessment (accessed February 1, 2015): http://oehha.ca.gov/prop65/prop65_list/files/P65single012315.pdf

3 Masten SA. 2005. Antimony trioxide: Brief review of toxicological literature, US National Toxicology Program, National Institute of Environmental Health Sciences. Accessed at: http://ntp.niehs.nih.gov/ntp/htdocs/Chem_Background/ExSumPdf/Antimonytrioxide.pdf

4 Risk Assessment: Diantimony Trioxide. 2008. European Union. EINECS No. 215-175-0.

5 National Toxicology Program. 2005. Department of Health and Human Services. Report on Carcinogens, Eleventh Edition; Substance Profiles: Chlorinated Paraffins (C12, 60% Chlorine) CAS No. 108171-26-2. 2005. <http://ntp.niehs.nih.gov/ntp/roc/eleventh/profiles/s034chlo.pdf>

6 European Chemicals Agency. 2008. Data on Manufacture, Import, Export, Uses and Releases of Alkanes, C10-13, chloro, SCCPs, as well as Information on Potential Alternatives to Its Use. http://echa.europa.eu/doc/consultations/recommendations/tech_reports/tech_rep_alkanes_chloro.pdf.

7 U.S. Environmental Protection Agency. 2009. Action Plan for Short-Chained Chlorinated Paraffins and Other Chlorinated Paraffins. Available at: http://www.epa.gov/oppt/existingchemicals/pubs/actionplans/sccps_ap_2009_1230_final.pdf.

8 U.S. Environmental Protection Agency. 2009. Action Plan for Short-Chained Chlorinated Paraffins and Other Chlorinated Paraffins. Available at: http://www.epa.gov/oppt/existingchemicals/pubs/actionplans/sccps_ap_2009_1230_final.pdf.

9 Risk Profile on Deca-BDE. 2014. The Stockholm Convention on Persistent Organic Pollutants Expert Review Committee (POPRC). UNEP POPRC.10/3.

10 De Wit CA, Herzke D, Vorkamp K. 2010. Brominated flame retardants in the Arctic environment — trends and new candidates. *Sci Total Environ* 408(15):2885-2918.

11 Chen S, Ma YJ, Wang J, Chen D, Luo XJ, Mai BX. 2009. Brominated flame retardants in children's toys: Concentration, composition, and children's exposure and risk assessment. *Environ Sci Technol*; 43:4200-4206.

12 Risk Profile on Deca-BDE. 2014. The Stockholm Convention on Persistent Organic Pollutants Expert Review Committee (POPRC). UNEP POPRC.10/3.

13 Fernie, K.J. ; Shutt, J.L. ; Letcher, R.J. ; Ritchie, I.J. ; Bird, D.M. 2009. Environmentally relevant concentrations of DE-71 and HBCD alter eggshell thickness and reproductive success of American kestrels. *Environ. Sci. Technol.* 2009, 43, 2124-30.

14 Risk Profile on Hexabromocyclododecane. The Stockholm Convention on Persistent Organic Pollutants Expert Review Committee (POPRC). POPRC.6/13/Add.2.

15 Schecter A. et al. 2012. HBCD stereoisomers in U.S. food from Dallas, Texas. *Environmental Health Perspectives* 120(9):1260-1264.

16 Leo T.M. van der Ven et al. 2009. Endocrine effects of hexabromocyclododecane (HBCD) in a one-generation reproduction study in Wistar rats. *Toxicol. Letters* 185:51-62.

17 Dunnick, J.K. et al. 2014. Environmental chemical exposure may contribute to uterine cancer development: studies with TBBPA. *Tox. Pathology* XX:1-10.

18 Risk Profile on Hexabromocyclododecane. The Stockholm Convention on Persistent Organic Pollutants Expert Review Committee (POPRC). POPRC.6/13/Add.2.

- 19 Bearn, J.S., Stapleton, H.M., Mitchelmore, C.L. 2010. Accumulation and DNA damage in fathead minnows (*Pimephales promelas*) exposed to 2 brominated flame retardant mixtures, Firemaster[®] 550 and Firemaster BZ-54. *Environ. Toxicol. Chem.* 29 (3), 722–729.
- 20 Patisaul, H.B., Roberts, S.C., Mabrey, N., McCaffrey, K.A., Gear, R.B., Braun, J., Belcher, S.M., Stapleton, H.M., 2013. Accumulation and endocrine disrupting effects of the flame retardant mixture Firemaster[®] 550 in rats: an exploratory assessment. *J. Biochem. Mol. Toxicol.* 27 (2), 124–136.
- 21 Mankidy, R. et al. Effects of novel brominated flame retardants on steroidogenesis in primary porcine testicular cells. *Tox. Letters* 224:141-146.
- 22 Saunders, D. et al. 2013. In vitro endocrine disruption and TCDD-like effects of three novel brominated flame retardants: TBPH, TBB, and TBCO. *Tox. Letters* 223:252-259.
- 23 Dunnick, J.K. et al. 2014. Environmental chemical exposure may contribute to uterine cancer development: studies with TBBPA. *Tox. Pathology* XX:1-10.
- 24 Dunnick, J.K. et al. 2014. Environmental chemical exposure may contribute to uterine cancer development: studies with TBBPA. *Tox. Pathology* XX:1-10.
- 25 Tris(2-chloroethyl)phosphate. *Reproductive Toxicology Suppl.* 1997. *Environmental Health Perspectives* 105:365-6.
- 26 United States National Toxicology Program. Toxicology and Carcinogenesis Studies of Tris(2-chloroethyl)phosphate (CAS No. 115-96-8) in F344/N Rats and B6C3F1 Mice (Gavage Studies)(Technical Report Series No. 391;NIH Publication No. 91-2846). 1991. United States Department of Health and Human Services.
- 27 Tilson H.A., Veronesi B., McLamb R.L. 1990. Acute Exposure to Tris(2-chloroethyl) phosphate Produces Hippocampal Neuronal Loss and Impairs Learning in Rats. *Toxicology and Applied Pharmacology* 106: 452-269.
- 28 Matthews H.B., Eustis S.L., Haseman J. 1993. Toxicity and Carcinogenicity of Chronic Exposure to Tris(2-chloroethyl) phosphate. *Fundamental and Applied Toxicology* 20:477-485.
- 29 European Chemicals Agency. 2009. Support Document for Identification of Tris (2-chloroethyl) phosphate as a Substance of Very High Concern Because of its CMR Properties. Accessed at: http://echa.europa.eu/doc/candidate_list/svhc_supdoc_tris_phosphate_publication.pdf.
- 30 State of California Office of Environmental Health Hazard Assessment Proposition 65 List: Chemicals Known to the State to Cause Cancer or Reproductive Toxicity. Accessed at: http://www.oehha.ca.gov/prop65/prop65_list/files/P65single072911.pdf.
- 31 United States National Toxicology Program. Toxicology and Carcinogenesis Studies of Tris(2-chloroethyl)phosphate (CAS No. 115-96-8) in F344/N Rats and B6C3F1 Mice (Gavage Studies)(Technical Report Series No. 391;NIH Publication No. 91-2846). 1991. United States Department of Health and Human Services.
- 32 Tilson H.A., Veronesi B., McLamb R.L. 1990. Acute Exposure to Tris(2-chloroethyl) phosphate Produces Hippocampal Neuronal Loss and Impairs Learning in Rats. *Toxicology and Applied Pharmacology* 106: 452-269.
- 33 Stapleton, H.M. et al. 2011. Identification of flame retardants in polyurethane foam collected from baby products. *Environmental Science and Technology* 45:5323-5331.
- 34 Safe Kids Campaign Report of the Green Science Policy Institute 2011. Accessed at: <http://www.greensciencepolicy.org/wp-content/uploads/2013/12/Safe-Kids-Campaign-Report.pdf>.
- 35 Stapleton, H.M. et al. 2011. Identification of flame retardants in polyurethane foam collected from baby products. *Environmental Science and Technology* 45:5323-5331.
- 36 Betts, KS. 2013. Exposure to TDCPP appears to be widespread. *Environmental Health Perspectives* 121(5):A150.
- 37 State of California Office of Environmental Health Hazard Assessment Proposition 65 List: Accessed at: http://oehha.ca.gov/prop65/prop65_list/Newlist.html.
- 38 Stapleton, HM., S. Klosterhaus, et al. (2009). "Detection of Organophosphate Flame Retardants in Furniture Foam and U.S. House Dust." *Environmental Science & Technology* 43(19): 7490-7495.
- 39 Matthews, HB et al. 1993. Toxicity and carcinogenicity of chronic exposure to tris(2-chloroethyl)phosphate. *Fundamental and Applied Toxicology* 20:477-485.
- 40 Meeker, JD and HM Stapleton. 2010. House dust concentrations of organophosphate flame retardants in relation to hormone levels and semen quality parameters. *Environmental Health Perspectives* 118(3):318-323.
- 41 Stapleton, HM et al. 2011. Identification of flame retardants in polyurethane foam collected from baby products. *Environmental Science and Technology* 45:5323-5331.
- 42 Gold, MD et al. 1978. Another flame retardant, tris-(1,3-dichloro-2-propyl)-phosphate and its expected metabolites are mutagens. *Science* 200(4343):785-787.
- 43 Betts, KS. 2013. Exposure to TDCPP appears to be widespread. *Environmental Health Perspectives* 121(5):A150.
- 44 Stapleton, HM et al. 2011. Identification of flame retardants in polyurethane foam collected from baby products. *Environmental Science and Technology* 45:5323-5331.
- 45 McGee, SP et al. 2012. Early zebrafish embryogenesis is susceptible to developmental TDCPP exposure. *Environmental Health Perspectives* 120(11):1585-1591.

